



PRODUCT CATALOGUE



CELMAR FENCING & PAVERS - Welcome to our world!

A family business that has been in operation for over 45 years! We have since grown to be the

LARGEST MANUFACTURER OF PRECAST CONCRETE WALLS IN AFRICA.

All our material is manufactured to be the best on the market. We use state of the art technology and focus heavily on strength, durability, consistency and quality.

Along with our precast concrete panels, we also produce concrete pavers, garden products, lawn edgings and municipal/building products of various shapes and sizes.

We manufacture our own steel moulds for internal use with our state of the art wet-cast machine. This machine can produce approximately 2500 slabs a day and to our knowledge, is the only one in the whole of Africa.











CELMAR

CONTENTS


VIBRACRETE CONCRETE FENCING	04
SMOOTH SLABS	06
PATTERNED SLABS	09
PILLARS & EXTENSIONS	17
PAVERS	20
PLAIN PAVERS	22
CHECKER PLATE PAVERS	24
RIVEN PAVERS	26
AVALON CIRCLE	40
GARDEN PRODUCTS	42
TREE RINGS AND SQUARES	44
GRASS BLOCKS	46
LOGS AND SLEEPERS	47
EDGING	48
WEED GUARD	49
BUILDING PRODUCTS	50
CONTACT	53





VIBRACRETE CONCRETE FENCING

We have been manufacturing and installing fencing for more than 45 years. Our extensive range of designs makes it possible for our clients to select a wall that will not only compliment the architectural style of their home but maximize security and privacy altogether.



All concrete fencing slabs comes standard in cement grey


CELMAR



PLAIN




CODE	DESCRIPTION	SIZE (mm)	WEIGHT
R01	STANDARD SLAB	1435 x 300 x 40	40 kg
R27	LONG SLAB	1500 x 300 x 40	46 kg
R28	LONG SLAB	1800 x 300 x 40	55 kg
R29	LONG SLAB	2000 x 300 x 40	58 kg
R30.20	THICK INDUSTRIAL SLAB	1435 x 300 x 55	



THE PLAIN SLAB WALL IS A FAMILIAR SITE FOR NOT ONLY PRIVATE HOMES, BUT ALSO SHOPS AND CONSTRUCTION SITES.


It's an extremely popular fencing solution with variable height and visual options.

LOUVRE 2




CODE	SIZE (mm)	WEIGHT
RL1	1435 × 300	31 kg

LOUVRE 3



CODE	SIZE (mm)	WEIGHT
RL2	1435 x 300	39,5 kg

LOUVRE 4




CODE	SIZE (mm)	WEIGHT
RL3	1435 x 300	38 kg

THIS SLAB HAS A SMOOTH FINISH WITH A UNIQUE DESIGN AND ADDS TO THE LOOK OF YOUR WALL.

(CHOOSE YOUR LOOK – 2, 3 OR 4 PANELS)
















PLAIN

BRICK



CODE	SIZE (mm)	WEIGHT
R02	1435 × 300 × 40	40 kg



LOOKS BEAUTIFUL WITH COLOUR PAINT

GET CREATIVE WITH A COMBINATION OF SLAB DESIGNS.

Double Roman pillars and Plain Brick slabs.



RUSTIC

BRICK



CODE	SIZE (mm)	WEIGHT
R03	1435 × 300	39 kg



*Grey pillars - for display purposes. >



FLAT RUSTIC


BRICK




CODE	SIZE (mm)	WEIGHT
R03.1	1435 x 300 x 40	31 kg



THE RUSTIC TEXTURED SLAB LOOKS GREAT WITH NEUTRAL COLOURED PAINT.







DIAMOND



CODE	SIZE (mm)	WEIGHT
R10	1435 x 300 x 40	26 kg




WAVE



CODE	SIZE (mm)	WEIGHT
R11	1435 x 300 x 40	28 kg

< Painted for display purposes.


BALUSTRADE



CODE	SIZE (mm)	WEIGHT
R12	1435 x 300 x 40	26 kg



BALUSTRADE



CODE	SIZE (mm)	WEIGHT
R13	1435 x 300 x 40	29 kg

Painted for display purposes. >





DOUBLE ROMAN



CODE	SIZE (mm)	WEIGHT
R15	1435 × 600 × 40	45 kg



RUSTIC PICKET



CODE	SIZE (mm)	WEIGHT
R17	1435 x 600 x 40	58 kg

CELMAR
PILLARS & EXTENSIONS

Used for Precast Concrete Vibracrete Fencing and Extensions.

CODE	DESCRIPTION (HEIGHT)	SIZE	WEIGHT
R6	1.7M - PILLAR	1700 (6') – 4 Slabs	35 kg
R6130	1.7M - PILLAR - 130	1700 (6') - 4 Slabs	63 kg
R8	2.3M - PILLAR	2300 (8') - 6 Slabs	46 kg
R8130	2.3M - PILLAR - 130	2300 (8') – 6 Slabs	76 kg
R9	2.6M - PILLAR	2600 (9') – 7 Slabs	52 kg
R9130	2.6M - PILLAR - 130	2600 (9') – 7 Slabs	85 kg
RA1	3M - PILLAR	3000 (10') – 8 Slabs	78 kg
RA1130	3M - PILLAR - 130	3000 (10') – 8 Slabs	97 kg
RA4	3.3M - PILLAR - 130	3300 (11') – 9 Slabs	106 kg
RA7	3.6M - PILLAR - 130	3600 (12') – 10 Slabs	116 kg

AVAILABLE CONFIGURATIONS: PILLARS

STANDARD 2 GROOVES
GATE 1 GROOVE
CORNER 3 GROOVES

SPLAY 2 GROOVES @ 45 DEGREES

WE ALSO SELL SHORTENED LENGTHS FOR EXTENSIONS: 300mm, 600mm, 900mm (Code RE).









PEBBLE





CODE	SIZE (mm)	WEIGHT
R07	1435 x 300	39 kg

EXPOSED PEBBLES TO CREATE A UNIQUE LOOK.









PAVERS

Our range of pavers is extensive and allows for a variety of creative designs which can be used for walkways, garden paths, driveways, edging, steps and much more. It's a water-wise investment in a product that not only looks good, but is of high quality.

We manufacture an extensive selection of concrete paving products for residential and industrial clients.

PLEASE NOTE:


Product image colours may differ to the actual product due to weather and lighting conditions.

CELMAR

PLAIN PAVER



COLOURS:








CEMENT GREY

SANDSTONE

CHARCOAL

CODE	SIZE (mm)	WEIGHT
P01	450 x 450	21 kg
P02	500 x 500	26 kg
P03	600 x 600	37 kg
P20	450 × 450	18 kg









CHECKER PLATE



COLOURS:








CEMENT GREY

SANDSTONE

CHARCOAL

CODE	SIZE (mm)	WEIGHT
P04	450 × 450	22 kg
P05	500 x 500	24 kg
P06	600 x 600	43 kg













RIVEN




RIVEN PAVER (SQUARE)



CODE	SIZE (mm)	WEIGHT
P19.5	500 x 500	25 kg
P19.3	250 x 250	7 kg

COLOURS:








CEMENT GREY

SANDSTONE

CHARCOAL












USED PRIMARILY FOR PAVING AND PATHWAYS.



RECTANGLE RIVEN PAVER



COLOURS:







CEMENT GREY

SANDSTONE

CHARCOAL

CODE	SIZE (mm)	WEIGHT
P19.4	495 x 250	13 kg

COMBINE DIFFERENT COLOURS & SHAPES TO CREATE YOUR OWN UNIQUE PATTERN



RIVEN COPING



CODE	DESCRIPTION	SIZE (mm)	WEIGHT
P19.1	RECTANGLE	495 x 250	14 kg
P19.2	SQUARE	250 x 250	7 kg

COLOURS:








CEMENT GREY

SANDSTONE

CHARCOAL

USED FOR STEP & POOL EDGES.



P19.2 COPING 250 x 250





RIVEN COBBLE



CODE	SIZE (mm)	WEIGHT
P35.4	150 × 150 × 45-50	2.5 kg

COLOURS:







CEMENT GREY

SANDSTONE

CHARCOAL

COBBLES CAN FRAME & ASSIST IN DESIGNING PATTERNS. OR USE IT IN A DRIVEWAY FOR THAT "STREETS OF TUSCANY" FEEL.



ROUGH EDGE RIVEN PAVER



CODE	SIZE (mm)	WEIGHT
P12	440 × 440	22 kg

COLOURS:







CEMENT GREY

SANDSTONE


CHARCOAL



A PRETTY UNIQUE EDGE, THAT CAN CERTAINLY BE LEFT EXPOSED.








RIVEN PAVER



CODE	SIZE (mm)	WEIGHT
P25	450 x 450	21 kg

COLOURS:








CEMENT GREY

SANDSTONE

CHARCOAL

THE LAVA RIVEN PAVER HAS A UNIQUE PATTERN THAT ONLY COMES IN ONE SIZE – 450X450







RIVEN PAVER SET

Design a unique layout using different size pavers with the same pattern.

CODE	DESCRIPTION	SIZE (mm)	WEIGHT
P27.1	RIVEN PAVER	200 x 200	5 kg
P27.2	RIVEN PAVER	300 x 300	10 kg
P27.3	RIVEN PAVER	400 x 400	18 kg
P27.4	RECTANGLE	400 x 200	10 kg
P27.6	COBBLE	100 x 100	1 kg









CEMENT GREY

SANDSTONE

CHARCOAL









PLAY WITH

PATTERNS

SMALL COBBLE

CODE	SIZE (mm)	WEIGHT
P35	110 x 110 x 50	1.5 kg







SANDSTONE



CHARCOAL





AVALON CIRCLE

Use an Avalon Circle to create a focal point in your garden. The gaps in between pavers will determine the size of your circle.

CODE	SIZE (mm)
P60.5	3.3 meters and up

SETS ARE SOLD IN SINGLE COLOURS ONLY.

COLOURS:







CEMENT GREY

SANDSTONE

CHARCOAL


DECORATIVE STONES IN BETWEEN PAVERS ARE OPTIONAL.



IDEA: PLACE A ROMAN STATUE
IN THE MIDDLE AS A CENTREPIECE.









GARDEN PRODUCTS

"Gardening is the slowest of the performing arts."


– Mac Griswalc


We have all the pavers, edgings and trimmings you need to create a beautiful setting!

PLEASE NOTE:

Product image colours may differ to the actual product due to weather and lighting conditions

CELMAR







CODE	DESCRIPTION	SIZE (mm)	WEIGHT
T15	300 diameter	S	20 kg
T16	400 diameter	М	41 kg
T17	600 diameter	L	47 kg







SANDSTONE



CHARCOAL

TREE SQUARES



CODE	SIZE (mm)		WEIGHT
T18	S	440 x 440 x 120	21 kg
T19	М	460 x 460 x 160	30 kg
T20	L	560 x 560 x 140	50 kg










CEMENT GREY SANDSTONE

CHARCOAL





GRASS BLOCKS



CODE	SIZE	WEIGHT
P29	600 x 400	35 kg

COLOURS:







CEMENT GREY

SANDSTONE

CHARCOAL

EFFECTIVELY PROTECT YOUR GRASS FROM ANY HIGH TRAFFIC AREAS BY LAYING GRASS BLOCKS.



LOGS & SLEEPERS





CODE	DESCRIPTION	SIZE (mm)	WEIGHT
P48	LOG - L	Diameter – 420	16 kg
P41	SLEEPER - L	890 x 240	22 kg
P42	SLEEPER - S	610 x 230	17 kg








CHARCOAL







ROPE EDGING



CODE	DESCRIPTION	SIZE(mm)	WEIGHT
P72	ROPE EDGING	900 X 200	15 kg

COLOURS:








CEMENT GREY

SANDSTONE

CHARCOAL

A GREAT WAY TO CREATE DIFFERENT SECTIONS & LEVELS IN YOUR GARDEN.



LOG EDGING





CEMENT GREY



CHARCOAL

CODE	DESCRIPTION	SIZE (mm)	WEIGHT
P71 O	LOG EDGING	300 X 100	4 kg
P71 N	LOG EDGING	300 X 100	4 kg



WEED GUARD

PREVENTS WEED GROWTH

NOT HARMFUL TO THE ENVIRONMENT

HIGH RESISTANCE TO EXTREME
 WEATHER CONDITIONS

· UV RESISTANT

· PERMEABLE

· 100% RECYCLABLE

CODE	DESCRIPTION	SIZE (M)
P91A	WEED GUARD	3M
P91B	WEED GUARD	1M

growth has been with plastic sheeting or chemicals that were often harmful to the environment or the plants themselves.

The disadvantage of plastic sheeting is that it does not withstand windy or rainy conditions for very long and requires constant maintenance and replacement. Also, it is not permeable, causing water build-up (ponding) on top of the plastic, and encouraging mould and root rot underneath

While the woven fabric allows free passage of water and air, it's tight weave and total cover largely prevents evaporation and thus large-scale water loss after irrigation or rains in hot climates.



BUILDING PRODUCTS

We understand the demand and needs of the building industry, and therefore supply products of exceptional quality and strength to assist builders in their service to their clients.

GELIMAR



WATER CHANNELS

CODE	DESCRIPITION	SIZE (mm)	WEIGHT
B01	WATER CHANNEL - CW1	1000 x 230	40 kg
B02	WATER CHANNEL - STOP	500	23 kg
B03	WATER CHANNEL - T	600 x 200	31 kg
B04	WATER CHANNEL - CORNER	460 x 420	25 kg
B07	WATER CHANNEL - SPLASH	100 x 100	26.5 kg









GULLEY


CODE	DESCRIPITION	SIZE (mm)	WEIGHT
B08	GULLEY	430 x 300	32 kg



EDGING

(CODE	DESCRIPTION	SIZE (mm)	WEIGHT
ŀ	K12	EDGINGS - E1	1000 x 150	25 kg







CONTACT

TEL: +27 (21) 981 5561

P.O. BOX 50, BRACKENFELL, 7561

GENERAL ENQUIRIES: info@celmar.co.za

MATERIAL SALES: sales@celmar.co.za

VIBRACRETE INSTALLATIONS: vibracrete@celmar.co.za





www.celmar.co.za